


ocean master & plantation **MAX classic**

“auto-loc-lift” marine pulley lift




			mast height (open position)	canopy clearance	mast height (closed position)	table clearance	closed parasol width	flat to flat (Open Umbrella)	point to point	canopy area coverage
classic	sizes [ft/m]	Pole Diameter	a (in/cm)	b (in/cm)	c (in/cm)	d (in/cm)	e (in/cm)	f (in/cm)	g (in/cm)	ft²
square 	8.0' / 2.45m	2 ³ / ₈	101 / 257	86 / 218	101 / 257	35 / 89	17 / 43	97 / 246	135 / 343	62.3
	10.0' / 3.0m	2 ³ / ₈	104 / 264	86 / 218	104 / 264	21 / 53	16 / 41	120 / 305	170 / 432	98
octagon 	9.0' / 2.75m	2 ³ / ₈	97 / 246	84 / 213	97 / 246	38 / 97	14 / 36	101 / 157	109 / 277	57.3
	11.0' / 3.4m	2 ³ / ₈	104 / 264	84 / 213	106 / 269	36 / 91	22 / 56	124 / 315	134 / 340	54
rectangle 	8.0' x 12.0' 2.45m x 3.65m	2 ³ / ₈	100 / 254	92 / 234	106 / 269	15 / 38	14 / 36	$f^1 \times f^2$ 98 x 143 249 x 363	173 / 439	97.3

Dimension Tolerances ± 2"
Dimensions shown correspond to indicated lift system
Options are subject to change without notice
Some options are only available in certain sizes and shapes


2" security base stem height not included

ocean master & plantation MAX classic

“easy drive” crank



			mast height (open position)	canopy clearance	mast height (closed position)	table clearance	closed parasol width	flat to flat (Open Umbrella)	point to point	canopy area coverage
<i>classic</i>	sizes [ft/m]	Pole Diameter	a (in/cm)	b (in/cm)	c (in/cm)	d (in/cm)	e (in/cm)	f (in/cm)	g (in/cm)	ft ²
	8.0' / 2.45m	2 ³ / ₈	101 / 257	88	101 / 257	35 / 89	17 / 43	97 / 246	135 / 343	64
<i>square</i>	10.0' / 3.0m	2 ³ / ₈	104 / 264	86 / 218	126 / 320	41 / 104	16 / 41	120 / 305	170 / 432	100
	12.0' / 3.65m	2 ⁷ / ₈	110 / 279	89 / 226	134 / 340	34 / 86	22 / 56	144 / 366	203 / 516	142
	14.0' / 4.25m	2 ⁷ / ₈	116 / 294	98 / 249	155 / 394	36 / 91	20 / 51	169 / 429	239 / 607	198
	16.0' / 4.9m	2 ⁷ / ₈	123 / 310	98.5 / 250	170 / 432	36 / 91	19 / 48	192 / 488	272 / 691	257
<i>octagon</i>	9.0' / 2.75m	2 ³ / ₈	98 / 246	85 / 216	98 / 249	39 / 99	14 / 36	101 / 257	109 / 277	56
	11.0' / 3.4m	2 ³ / ₈	106 / 269	86 / 218	106 / 269	46 / 117	14 / 36	124 / 315	134 / 340	53
	13.0' / 4.0m	2 ⁷ / ₈	100 / 254	85 / 216	127 / 323	45 / 114	21 / 53	142 / 361	153 / 389	115
	15.0' / 4.5m	2 ⁷ / ₈	107 / 272	87 / 221	135 / 343	45 / 114	24 / 61	167 / 424	181 / 460	157
	17.0' / 5.2m	2 ⁷ / ₈	114 / 290	90 / 229	146 / 371	45 / 114	24 / 61	189 / 480	205 / 521	204
<i>rectangle</i>	8.0' x 12.0' 2.45m x 3.65m	2 ³ / ₈	100 / 254	87 / 221	120 / 305	35 / 89	15 / 38	$f^1 \times f^2$ 98 x 144 249 x 366	176 / 447	166
	10.0' x 14.0' 3m x 4.25m	2 ⁷ / ₈	110 / 279	91 / 231	145 / 368	42 / 107	14 / 36	$f^1 \times f^2$ 121 X 171 307 X 434	209 / 531	144
	12.0' x 16.0' 3.65m x 4.9m	2 ⁷ / ₈	119 / 302	100 / 254	160 / 406	42 / 107	17 / 43	$f^1 \times f^2$ 194 X 143 493 / 363	240 / 610	189




Dimension Tolerances $\pm 2"$
 Dimensions shown correspond to indicated lift system
 Options are subject to change without notice
 Some options are only available in certain sizes and shapes


2" security base stem height not included

ocean master & plantation MAX classic (cont.)


vent and pocket options




profile options




panel options



canopy options



lifting system options



finial



finish options


standard



powder coat



aluma-TEAK



Dimension Tolerances $\pm .2"$
Dimensions shown correspond to indicated lift system
Options are subject to change without notice
Some options are only available in certain sizes and shapes